Printing date 26.01.2016 Version number 1 Revision: 26.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Parfum Green water ref SDPAFAJUS
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation :

Cosmetic product according to (CE) N°1223/2009 Regulation

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PANOUGE SAS

12 avenue Victor Hugo

75116 PARIS

Tél: +33.(0)1 47 20 58 32 Fax: +33.(0)1 78 72 90 20

info@panouge.com

· 1.4 Emergency telephone number:

France (ORFILA 24h/24) - Tel: +33 (0)1 45 42 59 59 Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

UK: +44 (0)-870-190-6777 (CARECHEM24)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



GHS02

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children. P273 Avoid release to the environment.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Version number 1 Revision: 26.01.2016 Printing date 26.01.2016

Trade name: Parfum Green water ref SDPAFAJUS

(Contd. of page 1)

· Additional information:

EUH208 Contains (R)-p-mentha-1,8-diene, iso E Super. May produce an allergic reaction.

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms





GHS07 GHS02

- · Signal word Danger
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children. P273 Avoid release to the environment.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-xxxx	ethanol Flam. Liq. 2, H225; Eye Irrit. 2, H319	50-100%
CAS: 5989-27-5 EINECS: 227-813-5 Index number: 601-029-00-7 RTECS: GW 6360000 Reg.nr.: 01-2119529223-47	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	<1%
CAS: 24851-98-7 EINECS: 246-495-9	Methyl dihydrojasmonate	<0.5%
CAS: 54464-57-2 EINECS: 259-174-3 Reg.nr.: 01-2119489989-04-xxxx	iso E Super Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.25%
CAS: 78-70-6 EINECS: 201-134-4 RTECS: RG 5775000 Reg.nr.: 01-2119474016-42-xxxx	Linalool Skin Irrit. 2, H315; Eye Irrit. 2, H319	<0.25%
CAS: 2216-51-5 EINECS: 218-690-9 RTECS: OT 0700000	L-menthol Skin Irrit. 2, H315; Eye Irrit. 2, H319	<0.1%

(Contd. on page 3)

Printing date 26.01.2016 Version number 1 Revision: 26.01.2016

Trade name: Parfum Green water ref SDPAFAJUS

		td. of pag
CAS: 106-24-1 EINECS: 203-377-1 RTECS: RG 5830000 Reg.nr.: 01-2119552430-49-xxxx	Geraniol Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.1%
CAS: 14073-97-3 EINECS: 237-926-1	L-menthan-3-one • Acute Tox. 4, H302	< 0.1%
CAS: 2244-16-8 EINECS: 218-827-2 RTECS: OS 8575000	(S)-2-methyl-5-(1-methylvinyl)cyclohex-2-en-1-one Acute Tox. 1, H310; Acute Tox. 4, H302	<0.1%
CAS: 1222-05-5 EINECS: 214-946-9 Index number: 603-212-00-7 Reg.nr.: 01-2119488227-29-xxxx	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c] pyran Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<0.1%
CAS: 99-85-4	gamma terpninene & Asp. Tox. 1, H304;	<0.1%
CAS: 93-92-5 EINECS: 202-288-5	1-phenylethyl acetate	<0.1%
CAS: 106-02-5	cyclopentadecanolide Skin Sens. 1, H317	< 0.1%
CAS: 18479-58-8 EINECS: 242-362-4 RTECS: RH 3420000	2,6-dimethyloct-7-en-2-ol Skin Irrit. 2, H315; Eye Irrit. 2, H319	<0.1%
CAS: 128-37-0 EINECS: 204-881-4 RTECS: GO 7875000 Reg.nr.: 01-2119565113-46	2,6-di-tert-butyl-p-cresol Aquatic Chronic 1, H410	<0.1%
CAS: 98-55-5 EINECS: 202-680-6 Reg.nr.: 01-2119553062-49	p-menth-1-en-8-ol Skin Irrit. 2, H315; Eye Irrit. 2, H319	<0.1%
CAS: 97-53-0 EINECS: 202-589-1	Eugenol Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317	< 0.1%
CAS: 494-90-6	Menthofurane ◆ Aquatic Chronic 2, H411; ◆ Acute Tox. 4, H302; Skin Irrit. 2, H315	<0.1%
CAS: 7212-44-4 EINECS: 230-597-5	3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 0.1%
CAS: 4602-84-0 EINECS: 225-004-1	Farnesol Skin Sens. 1, H317	< 0.1%
CAS: 115-95-7	acétate de linalyle Skin Irrit. 2, H315	< 0.1%
CAS: 5392-40-5 EINECS: 226-394-6 Index number: 605-019-00-3 RTECS: RG 5075000 Reg.nr.: 01-2119462829-23	Citral Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.1%
CAS: 1205-17-0 EINECS: 214-881-6	alpha-methyl-1,3-benzodioxole-5-propionaldehyde Aquatic Chronic 2, H411	< 0.1%
CAS: 470-82-6	eucalyptol Flam. Liq. 3, H226; Skin Sens. 1B, H317	< 0.1%

Printing date 26.01.2016 Version number 1 Revision: 26.01.2016

Trade name: Parfum Green water ref SDPAFAJUS

		itd. of page ?
CAS: 80-56-8 EINECS: 201-291-9 Reg.nr.: 01-2119519223-49	pin-2(3)-ene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.1%
CAS: 89-78-1 EINECS: 201-939-0 RTECS: OT 0350000	menthol Skin Irrit. 2, H315	<0.1%
CAS: 10458-14-7 EINECS: 233-944-9 RTECS: XJ 6122000	p-menthan-3-one Flam. Liq. 3, H226	<0.1%
CAS: 127-91-3 EINECS: 204-872-5	beta-Pinene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	<0.1%
CAS: 107-75-5 EINECS: 203-518-7 RTECS: RG 7850000	Hydroxy-citronellal ◆ Eye Irrit. 2, H319; Skin Sens. 1, H317	<0.1%
CAS: 89-48-5	Acétate de menthyle � Aquatic Chronic 2, H411	<0.1%
CAS: 105-87-3 EINECS: 203-341-5	acetate de geranyle Aquatic Chronic 2, H411	<0.1%
CAS: 4707-47-5	methyl 2,4-dihydroxy-3,6-dimethylbenzoate (evernyl)	<0.1%
CAS: 134-20-3 EINECS: 205-132-4 RTECS: CB 3325000	methyl anthranilate Skin Irrit. 2, H315; Eye Irrit. 2, H319	<0.1%
CAS: 62563-80-8 EINECS: 263-597-9	vetiveryl acetate Aquatic Chronic 2, H411; Skin Sens. 1, H317	<0.1%
CAS: 76-22-2 EINECS: 200-945-0 Index number: 021-368-68-3	bornan-2-one Flam. Sol. 2, H228; STOT SE 2, H371; Acute Tox. 4, H332	<0.001%
CAS: 7732-18-5 EINECS: 231-791-2 RTECS: ZC 0110000	water, distilled, conductivity or of similar purity	10-25%

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After excessive inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture: No further relevant information available.

(Contd. on page 5)

Printing date 26.01.2016 Version number 1 Revision: 26.01.2016

Trade name: Parfum Green water ref SDPAFAJUS

(Contd. of page 4)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures :

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow the product to enter sewers/surface water or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection:





Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

. Ingradiants	with limit values	that require	monitorina at	the workplace
· ingreatents i	wiin iimii vaiues	ınaı reauire	monuoriny ai	the workblace:

64-17-5 ethanol

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm
MAK (Switzerland) Short-term value: 1920 mg/m³, 1000 ppm
Long-term value: 960 mg/m³, 500 ppm

SSc;

(Contd. on page 6)

Printing date 26.01.2016 Version number 1 Revision: 26.01.2016

Trade name: Parfum Green water ref SDPAFAJUS

	(Contd. of pag
5989-27-5 (R)-p-men	tha-1,8-diene
MAK (Switzerland)	Short-term value: 80 mg/m³, 14 ppm Long-term value: 40 mg/m³, 7 ppm S SSc;
128-37-0 2,6-di-tert-l	butyl-p-cresol
WEL (Great Britain)	Long-term value: 10 mg/m³
MAK (Switzerland)	Short-term value: 40 e mg/m³ Long-term value: 10 e mg/m³ SSc;
76-22-2 bornan-2-on	e e
WEL (Great Britain)	Short-term value: 19 mg/m³, 3 ppm Long-term value: 13 mg/m³, 2 ppm
MAK (Switzerland)	Long-term value: 13 mg/m³, 2 ppm

Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands: Not required.
- · Gloves material: -
- · Eye protection:



Tightly sealed goggles

9.1 Information on basic physical an General Information	d chemical properties
Appearance:	
Form:	Liquid
Colour:	Green
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	6.21
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C
Flash point:	15.5+/-2 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self igniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapour mixtures are possible.

Printing date 26.01.2016 Version number 1 Revision: 26.01.2016

Trade name: Parfum Green water ref SDPAFAJUS

		(Contd. of page
Explosion limits:		
Lower:	3,5 Vol %	
Upper:	15,0 Vol %	
· Vapour pressure at 20 °C:	59 hPa	
· Density at 20 °C:	0.862 g/cm^3	
· Relative density:	Not determined.	
· Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Segregation coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information :	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values rele	vant for classification:
64-17-5 et	hanol	
Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)
5989-27-5	(R)-p-men	tha-1,8-diene
Oral	LD50	4400 mg/kg (rat)
54464-57-	2 iso E Su _l	per
Oral	LD50	5000 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbit)
78-70-6 Li	inalool	
Oral	LD50	3000 mg/kg (mouse)
		2790 mg/kg (rat)
Dermal	LD50	5610 mg/kg (rabbit)
2216-51-5	L-mentho	1
Oral	LD50	3300 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
106-24-1 (Geraniol	
Oral	LD50	3600 mg/kg (rat)
		(Contd. on pag

- GB

Printing date 26.01.2016 Version number 1 Revision: 26.01.2016

Trade name: Parfum Green water ref SDPAFAJUS

		(Contd. of p
Dermal	LD50	5000 mg/kg (rabbit)
	-3 L-menth	
Oral	LD50	500 mg/kg (ATE)
2244-16-8		hyl-5-(1-methylvinyl)cyclohex-2-en-1-one
Oral	LD50	1640 mg/kg (rat)
Dermal	LD50	5 mg/kg (ATE)
1222-05-3	5 1,3,4,6,7,8	8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran
Oral	LD50	> 3000 mg/kg (rat)
Dermal	LD50	> 6500 mg/kg (rat)
		> 3250 mg/kg (rabbit)
99-85-4 g	amma terp	ninene
Oral	LD50	500 mg/kg (ATE)
128-37-0	2,6-di-tert-	butyl-p-cresol
Oral	LD50	650 mg/kg (mouse)
		890 mg/kg (rat)
98-55-5 p	-menth-1-e	n-8-ol
Oral	LD50	4300 mg/kg (rat)
97-53-0 E	Eugenol	
Oral	LD50	1930 mg/kg (rat)
494-90-6	Menthofur	ane
Oral	LD50	500 mg/kg (ATE)
4602-84-0) Farnesol	
Oral	LD50	20000 mg/kg (rat)
Dermal	LD50	15000 mg/kg (rat)
5392-40-3	5 Citral	
Oral	LD50	4960 mg/kg (rat)
470-82-6	eucalyptol	
Oral	LD50	2480 mg/kg (rat)
Dermal	LD50	50 mg/kg (mouse)
134-20-3	methyl anti	
Oral	LD50	2910 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
76-22-2 b	ornan-2-on	
Oral	LD50	4900 mg/kg (rat)
		1.5 mg/l (rat)

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eyes:

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

Printing date 26.01.2016 Version number 1 Revision: 26.01.2016

Trade name: Parfum Green water ref SDPAFAJUS

(Contd. of page 8)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- $\cdot \textbf{12.2 Persistence and degradability:} \ \textit{No further relevant information available}.$
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1266
· 14.2 UN proper shipping name · ADR	UN1266 PERFUMERY PRODUCTS, special provision 640D
· IMDG · IATA	PERFUMERY PRODUCTS Perfumery products

- · 14.3 Transport hazard class(es)
- $\cdot ADR$



· Class 3 (F1) Flammable liquids.

(Contd. on page 10)

Printing date 26.01.2016 Version number 1 Revision: 26.01.2016

Trade name: Parfum Green water ref SDPAFAJUS

	(Contd. of page
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	33
EMS Number:	F- E , S - D
Stowage Category	В
14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	IL Coder F2
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 50 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1266 PERFUMERY PRODUCTS, SPECIA PROVISION 640D, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

(Contd. on page 11)

Revision: 26.01.2016 Printing date 26.01.2016 Version number 1

Trade name: Parfum Green water ref SDPAFAJUS

(Contd. of page 10)

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 1: Acute toxicity, Hazard Category 1

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3