Printing date 25.11.2018 Version number 1 Revision: 25.11.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Velours boisé parfum
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation :

Cosmetic product according to (CE) N°1223/2009 Regulation

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PANOUGE SAS

12 avenue Victor Hugo

75116 PARIS

Tél: +33.(0)1 47 20 58 32 *Fax*: +33.(0)1 78 72 90 20

info@panouge.com

· 1.4 Emergency telephone number:

France (INRS 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgique - Tel: 32 070/245 245

UK: Call NHS 999 in a medical emergency. If you urgently need medical help or advice but it's not a life-threatening situation, call 111 (24/7). The NHS 111 number is currently only available in certain areas. If you're outside of these areas, you should call NHS Direct on 0845 4647

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Eye Irrit. 2

H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

02 GHS07

7 GHS0

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.11.2018 Version number 1 Revision: 25.11.2018

Trade name: Velours boisé parfum

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH208 Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Bergamot extract, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone. May produce an allergic reaction.

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms







GHS02 GHS07 GHS

- · Signal word Danger
- · Hazard statements Not classified as hazardous
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components: CAS: 64-17-5	ethanol	50-100%
EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-xxxx	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319	30 10070
CAS: 54464-57-2 EINECS: 259-174-3 Reg.nr.: 01-2119489989-04-xxxx	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone ♦ Aquatic Chronic 1, H410; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317	<5%
CAS: 65113-99-7 EINECS: 265-453-0 Reg.nr.: 01-2119975588-15-xxxx	5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol Aquatic Chronic 2, H411;	<5%
CAS: 34902-57-3	Oxacyclohexadecen-2-one Aquatic Acute 1, H400; Aquatic Chronic 2, H411	<1%
CAS: 8007-75-8 EINECS: 289-612-9 Reg.nr.: 05-2114505030-74-0000	Bergamot extract Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.5%
CAS: 21145-77-7 EINECS: 244-240-6	6-Acetyl-1,1,2,4,4,7-hexamethyltetraline Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	<0.5%

-GB

(Contd. on page 3)

Printing date 25.11.2018 Version number 1 Revision: 25.11.2018

Trade name: Velours boisé parfum

_		(Con	ntd. of page 2)
	CAS: 28219-61-6	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	< 0.5%
	EINECS: 248-908-8	🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🕠 Eye	
	Reg.nr.: 01-2119529224-45	Irrit. 2, H319	
	CAS: 33704-61-9	6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone	<0.25%
	EINECS: 251-649-3	🕸 Aquatic Chronic 2, H411; 🕠 Eye Irrit. 2, H319; Skin Sens.	
	Reg.nr.: 01-2119977131-40-0000	IB, Ĥ317; STOT SE 3, H335	

· SVHC No

· Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After excessive inhalation: Provide fresh air; consult a doctor in case of medical complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures :

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow the product to enter sewers/ surface water or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

(Contd. on page 4)

Printing date 25.11.2018 Version number 1 Revision: 25.11.2018

Trade name: Velours boisé parfum

· Information about fire - and explosion protection:

(Contd. of page 3)





Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

 \cdot 7.3 *Specific end use*(s): *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

· Ingredients with limi	· Ingredients with limit values that require monitoring at the workplace:		
CAS: 64-17-5 ethanol (50-100%)			
WEL (Great Britain)	Long-term value: 1920 mg/m³, 1000 ppm		
MAK (Switzerland)	MAK (Switzerland) Short-term value: 1920 mg/m³, 1000 ppm		
	Long-term value: 960 mg/m³, 500 ppm		
	SSc;		

· DNELs					
CAS: 64-1	CAS: 64-17-5 ethanol				
Dermal	DNEL Worker long-term systemic	343 mg/kg bw/d			
Inhalative	DNEL Worker long-term systemic	950 mg/m^3			
	DNEL Worker acute/short-term local effects 19 mg/m³				
CAS: 80-5	CAS: 80-54-6 p-t-Butyl-alpha-methylhydrocinnamic aldehyde				
Oral	DNEL Public long-term systemic	0.625 mg/kg bw/d			
Dermal	DNEL Public long-term systemic	1.0375 mg/kg bw/d			
	DNEL Worker long-term systemic	2.075 mg/kg bw/d			
Inhalative	DNEL Public long-term systemic	0.11 mg/m^3			
	DNEL Worker long-term systemic	0.44 mg/m^3			

DNEL Worker long-	term systemic	0.44 mg/m^3	
· PNECs			
CAS: 64-17-5 ethanol			
PNEC STP	0.72 mg/L		
PNEC aqua (fresh water)	0.96 mg/L		
PNEC aqua (marine water)	0.79 mg/L		
PNEC sediment (fresh water)	3.6 mg/kg		
PNEC sediment (marine water)	2.9 mg/kg		
PNEC soil	0.63 mg/kg		
CAS: 80-54-6 p-t-Butyl-alpha-methylhydrocinnamic aldehyde			
PNEC STP	10 mg/L		
PNEC aqua (fresh water)	0.00204 mg/L		
			(Contd. on page 5)

-GB

Printing date 25.11.2018 Version number 1 Revision: 25.11.2018

Trade name: Velours boisé parfum

 (Contd. of page 4)

 PNEC aqua (marine water)
 0.0002 mg/L

 PNEC sediment (fresh water)
 0.269 mg/kg

 PNEC sediment (marine water)
 0.0269 mg/kg

 PNEC soil
 0.0525 mg/kg

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid all contact with the eyes.

- · Respiratory protection: Not required.
- · Protection of hands: Not required.
- · Gloves material: -
- · Eye protection: Goggles recommended during refilling

9.1 Information on basic physical and chemical properties		
General Information		
Appearance: Form:	Liquid	
rorm: Colour:	Liquid Dark	
Colour:	Amber coloured	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	78 °C	
Flash point:	17.7+/-2 °C	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	425 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not self igniting.	
Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.	
Explosion limits:		
Lower:	3.5 Vol %	
Upper:	15 Vol %	
Vapour pressure at 20 °C:	59 hPa	
Density at 20 °C:	0.846 - 0.856 g/cm³	
Relative density:	Not determined.	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	

Printing date 25.11.2018 Version number 1 Revision: 25.11.2018

Trade name: Velours boisé parfum

(Contd. of page 5)

· Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

· Solvent content:

COV (CH): 74.24 %

• 9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

		vant for classification:
CAS: 64-17-5 ethanol		
Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)
CAS: 544	64-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone
Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rabbit)
CAS: 211	45-77-7 6-A	Acetyl-1,1,2,4,4,7-hexamethyltetraline
Oral	LD50	500 mg/kg (ATE)
CAS: 60-1	2-8 Phene	thyl alcohol
Oral	LD50	1,790 mg/kg (rat)
Dermal	LD50	790 mg/kg (rabbit)
CAS: 106-24-1 geraniol		
Oral	LD50	3,600 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rabbit)
CAS: 91-64-5 Coumarin		
Oral	LD50	293 mg/kg (rat)
CAS: 80-5	4-6 p-t-Bu	tyl-alpha-methylhydrocinnamic aldehyde
Oral	LD50	1,390 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
CAS: 8008-56-8 Lemon oil		
Oral	LD50	2,480 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rabbit)
CAS: 97-5	3-0 Eugen	ol
Oral	LD50	1,930 mg/kg (rat)

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 25.11.2018 Version number 1 Revision: 25.11.2018

Trade name: Velours boisé parfum

(Contd. of page 6)

· On the eyes:

Causes serious eye irritation.

- · Respiratory or skin sensitization Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:		
CAS: 64-1	7-5 ethanol		
EC50 72h	275 mg/l (Algae)		
EC50 48h	12,340 mg/l (daphnia)		
EC50 96h	13,000 mg/l (fish)		

- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water



Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

ſ	· European waste catalogue	
ſ	HP 3 Flammable	
	HP 4 Irritant - skin irritation and eye damage	
ſ	HP 14 Ecotoxic	

(Contd. on page 8)

Printing date 25.11.2018 Version number 1 Revision: 25.11.2018

Trade name: Velours boisé parfum

(Contd. of page 7)

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	
ADR, IMDG, IATA	UN1266
14.2 UN proper shipping name	
ADR	UN1266 PERFUMERY PRODUCT
	ENVIRONMENTALLY HAZARDOUS, special provision
HAD G	640C
IMDG	PERFUMERY PRODUCTS (1-(1,2,3,4,5,6,7,8-Octahydr 2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 5-(2,2,
	Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol, Dihydr
	beta-ionone, Oxacyclohexadecen-2-one, Bergamot extra
	6-Acetyl-1,1,2,4,4,7-hexamethyltetraline, 1-[(2-tert-buty
	cyclohexyloxy]-2-butanol, 2-ethyl-4-(2,2,3-trimethyl-
	cyclopenten-1-yl)-2-buten-1-ol, 6,7-Dihydro-1,1,2,3, pentamethyl-4(5H)-indanone), MARINE POLLUTANT
IATA	PERFUMERY PRODUCTS
14.3 Transport hazard class(es)	
ADR	
ADR	
₹ 2	
Class	3 (F1) Flammable liquids.
Label	3
IMDG	
Class	3 Flammable liquids.
Label	3
IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant: Special marking (ADR):	Symbol (fish and tree)
	Symbol (fish and tree)
116 Vm soid muse autions for uson	Warning: Flammable liquids.
14.6 Special precautions for user Danger code (Kemler):	33

Printing date 25.11.2018 Version number 1 Revision: 25.11.2018

Trade name: Velours boisé parfum

	(Contd. of page
· Stowage Category	В
· 14.7 Transport in bulk according to A	nnex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
$\cdot ADR$	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1266 PERFUMERY PRODUCTS, SPECIA
	PROVISION 640C, 3, II, ENVIRONMENTALL
	HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 10)

Printing date 25.11.2018 Version number 1 Revision: 25.11.2018

Trade name: Velours boisé parfum

(Contd. of page 9) · Classification according to Regulation (EC) No 1272/2008 Flammable liquids Bridging principles

Serious eye damage/eye irritation The classification of the mixture is generally based on Hazardous to the aquatic environment - long-term the calculation method using substance data according to Regulation (EC) No 1272/2008. (chronic) aquatic hazard

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2