

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.10.2019

Version number 1

Revision: 03.10.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** *EDP PRENDS -MOI VC 01/55-377*

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
*No further relevant information available.*

· **Application of the substance / the preparation :**

*Cosmetic product according to (CE) N°1223/2009 Regulation*

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

*PANOUGE SAS*

*12 avenue Victor Hugo*

*75116 PARIS*

*Tél : +33.(0)1 47 20 58 32*

*Fax : +33.(0)1 78 72 90 20*

*info@panouge.com*

· **1.4 Emergency telephone number:**

*France (INRS 24h/24) - Tel : +33 (0)1 45 42 59 59*

*Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112*

*Belgique - Tel : 32 070/245 245*

*UK : Call NHS 999 in a medical emergency. If you urgently need medical help or advice but it's not a life-threatening situation, call 111 (24/7). The NHS 111 number is currently only available in certain areas. If you're outside of these areas, you should call NHS Direct on 0845 4647*

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008 :**



GHS02

*Flam. Liq. 2      H225 Highly flammable liquid and vapour.*



GHS09

*Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.*



GHS07

*Eye Irrit. 2      H319 Causes serious eye irritation.*

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

*The product is classified and labelled according to the CLP regulation.*

· **Hazard pictograms**



GHS02

GHS07

GHS09

· **Signal word** *Danger*

· **Hazard statements**

*H225 Highly flammable liquid and vapour.*

*H319 Causes serious eye irritation.*

*H411 Toxic to aquatic life with long lasting effects.*

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.10.2019

Version number 1

Revision: 03.10.2019

**Trade name: EDP PRENDS -MOI VC 01/55-377**

(Contd. of page 1)

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P273 Avoid release to the environment.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

EUH208 Contains Iso E super, Benzyl salicylate, Bergamot extract, Pepper tree oil, hexyl salicylate, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone. May produce an allergic reaction.

**Labelling of packages where the contents do not exceed 125 ml****Hazard pictograms**

GHS02 GHS07 GHS09

**Signal word** Danger**Hazard statements** Not classified as hazardous**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.

**2.3 Other hazards****Results of PBT and vPvB assessment**

- PBT:** Not applicable.  
**vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Chemical characterisation: Mixtures**

**Description:** Mixture: consisting of the following components.

**Dangerous components:**

CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-xxxx	ethanol Flam. Liq. 2, H225; Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	50-100%
CAS: 54464-57-2 EINECS: 259-174-3 Reg.nr.: 01-2119489989-04-xxxx	Iso E super Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	<5%
CAS: 34902-57-3	Oxacyclohexadecen-2-one Aquatic Acute 1, H400; Aquatic Chronic 2, H411	≤2.5%
CAS: 1222-05-5 EINECS: 214-946-9 Index number: 603-212-00-7 Reg.nr.: 01-2119488227-29-xxxx	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylinden[5,6-c]pyran Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<1%
CAS: 118-58-1 EINECS: 204-262-9 Reg.nr.: 01-2119969442-31	Benzyl salicylate Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<0.5%
CAS: 8007-75-8 EINECS: 289-612-9 Reg.nr.: 05-2114505030-74-0000	Bergamot extract Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.5%

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.10.2019

Version number 1

Revision: 03.10.2019

**Trade name: EDP PRENDS -MOI VC 01/55-377**

(Contd. of page 2)

CAS: 68917-52-2 EC number: 305-104-2	Pepper tree oil ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<0.5%
CAS: 65405-77-8 EINECS: 265-745-8 Reg.nr.: 01-2119987320-37	cis-3-Hexenyl salicylate ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<0.25%
CAS: 6259-76-3 EINECS: 228-408-6 Reg.nr.: 01-2119638275-36	hexyl salicylate ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.25%
CAS: 33704-61-9 EINECS: 251-649-3 Reg.nr.: 01-2119977131-40-0000	6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone ⚠ Aquatic Chronic 2, H411; ⚠ Eye Irrit. 2, H319; Skin Sens. 1B, H317; STOT SE 3, H335	<0.25%

· SVHC No

· **Additional information:** For the wording of the listed risk phrases, refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

· **After inhalation:** Provide fresh air; consult a doctor in case of medical complaints.· **After skin contact:** Generally the product does not irritate the skin.

#### · **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Do not induce vomiting; call for medical help immediately.

#### · 4.2 Most important symptoms and effects, both acute and delayed :

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed :

No further relevant information available.

### SECTION 5: Firefighting measures

· **5.1 Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.· **For safety reasons unsuitable extinguishing agents:** Water with full jet· **5.2 Special hazards arising from the substance or mixture :** No further relevant information available.· **5.3 Advice for firefighters**· **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures :

Wear protective equipment. Keep unprotected persons away.

#### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow the product to enter sewers/ surface water or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

#### · 6.4 Reference to other sections :

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.10.2019

Version number 1

Revision: 03.10.2019

Trade name: **EDP PRENDS -MOI VC 01/55-377**

(Contd. of page 3)

See Section 13 for disposal information.

**SECTION 7: Handling and storage**· **7.1 Precautions for safe handling :**

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **7.2 Conditions for safe storage, including any incompatibilities**· **Storage:**· **Requirements to be met by storerooms and receptacles:** Store in a cool location.· **Information about storage in one common storage facility:** Not required.· **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **7.3 Specific end use(s) :** No further relevant information available.**SECTION 8: Exposure controls/personal protection**· **Additional information about design of technical facilities:** No further data; see section 7.· **8.1 Control parameters**· **Ingredients with limit values that require monitoring at the workplace:****CAS: 64-17-5 ethanol (50-100%)**

WEL (Great Britain)	Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm
MAK (Switzerland)	Short-term value: 1920 mg/m <sup>3</sup> , 1000 ppm Long-term value: 960 mg/m <sup>3</sup> , 500 ppm SSc;

· **DNELs****CAS: 64-17-5 ethanol**

Dermal	DNEL Worker long-term systemic	343 mg/kg bw/d
Inhalative	DNEL Worker long-term systemic	950 mg/m <sup>3</sup>
	DNEL Worker acute/short-term local effects	19 mg/m <sup>3</sup>

· **PNECs****CAS: 64-17-5 ethanol**

PNEC STP	0.72 mg/L
PNEC aqua (fresh water)	0.96 mg/L
PNEC aqua (marine water)	0.79 mg/L
PNEC sediment (fresh water)	3.6 mg/kg
PNEC sediment (marine water)	2.9 mg/kg
PNEC soil	0.63 mg/kg

· **Additional information:**

The most current valid lists have been used as a basis for the production of this document.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.10.2019

Version number 1

Revision: 03.10.2019

Trade name: EDP PRENDS -MOI VC 01/55-377

(Contd. of page 4)

- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Avoid all contact with the eyes.
- Respiratory protection: Not required.
- Protection of hands: Not required.
- Gloves material : -
- Eye protection: Goggles recommended during refilling

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form:	Liquid
Colour:	Light yellow
· Odour:	Characteristic
· Odour threshold:	Not determined.

· pH-value: Not determined.

##### · Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.

· Flash point: 18.1+/-0.5 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: Not applicable.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not self igniting.

· Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

##### · Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapour pressure: Not determined.

· Density at 20 °C: 0.860+/-0.005 g/cm<sup>3</sup>

· Relative density : Not determined.

· Vapour density : Not determined.

· Evaporation rate : Not determined.

##### · Solubility in / Miscibility with water:

Fully miscible.

· Segregation coefficient (n-octanol/water): Not determined.

##### · Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

##### · Solvent content:

COV (USA) : 73.54 %

COV (CH) : 73.54 %

· 9.2 Other information : No further relevant information available.

GB

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.10.2019

Version number 1

Revision: 03.10.2019

Trade name: EDP PRENDS -MOI VC 01/55-377

(Contd. of page 5)

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions :** No dangerous reactions known.
- **10.4 Conditions to avoid :** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**CAS: 64-17-5 ethanol**

Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)

**CAS: 54464-57-2 Iso E super**

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rabbit)

**CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran**

Oral	LD50	>3,000 mg/kg (rat)
Dermal	LD50	>6,500 mg/kg (rat)
		>3,250 mg/kg (rabbit)

**CAS: 118-58-1 Benzyl salicylate**

Oral	LD50	2,227 mg/kg (rat)
------	------	-------------------

**CAS: 140-11-4 benzyl acetate**

Oral	LD50	2,490 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)

**CAS: 6259-76-3 hexyl salicylate**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)

**CAS: 91-64-5 Coumarin**

Oral	LD50	293 mg/kg (rat)
------	------	-----------------

**CAS: 106-24-1 geraniol**

Oral	LD50	3,600 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rabbit)

**CAS: 8006-81-3 Ylang ylang oil I**

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rabbit)

- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.
- **On the eyes:**  
Causes serious eye irritation.
- **Respiratory or skin sensitization** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.10.2019

Version number 1

Revision: 03.10.2019

Trade name: EDP PRENDS -MOI VC 01/55-377

(Contd. of page 6)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity:

CAS: 64-17-5 ethanol

EC50 72h 275 mg/l (Algae)

EC50 48h 12,340 mg/l (daphnia)

EC50 96h 13,000 mg/l (fish)

CAS: 1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

LC50 96h 0.452 mg/l (fish)

NOEC 0.068 mg/l (fish)

ErC50 &gt;0.854 mg/l (Algae)

- **12.2 Persistence and degradability** : No further relevant information available.
- **12.3 Bioaccumulative potential** : No further relevant information available.
- **12.4 Mobility in soil** : No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water



Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** : No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation :**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### European waste catalogue

HP3 Flammable

HP4 Irritant - skin irritation and eye damage

HP14 Ecotoxic

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.10.2019

Version number 1

Revision: 03.10.2019

Trade name: EDP PRENDS -MOI VC 01/55-377

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN1266

· **14.2 UN proper shipping name**

· **ADR**

UN1266 PERFUMERY PRODUCTS, ENVIRONMENTALLY HAZARDOUS, special provision 640D

· **IMDG**

PERFUMERY PRODUCTS (Iso E super, Oxacyclohexadecen-2-one, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, Bergamot extract, beta-Ionone, 5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol, Pepper tree oil, hexyl salicylate, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone, cis-3-Hexenyl salicylate), MARINE POLLUTANT

· **IATA**

PERFUMERY PRODUCTS

· **14.3 Transport hazard class(es)**

· **ADR**· **Class**

3 (F1) Flammable liquids.

· **Label**

3

· **IMDG**· **Class**

3 Flammable liquids.

· **Label**

3

· **IATA**· **Class**

3 Flammable liquids.

· **Label**

3

· **14.4 Packing group**

· **ADR, IMDG, IATA**

II

· **14.5 Environmental hazards:**

Product contains environmentally hazardous substances:  
Iso E super· **Marine pollutant:**

Symbol (fish and tree)

· **Special marking (ADR):**

Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Flammable liquids.

· **Danger code (Kemler):**

33

· **EMS Number:**

F-E,S-D

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.10.2019

Version number 1

Revision: 03.10.2019

**Trade name: EDP PRENDS -MOI VC 01/55-377**

(Contd. of page 8)

· <b>Stowage Category</b>	B
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	D/E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1266 PERFUMERY PRODUCTS, SPECIAL PROVISION 640D, 3, II, ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**  
E2 Hazardous to the Aquatic Environment  
P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H225 Highly flammable liquid and vapour.  
H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.10.2019

Version number 1

Revision: 03.10.2019

**Trade name: EDP PRENDS -MOI VC 01/55-377**

(Contd. of page 9)

**· Classification according to Regulation (EC) No 1272/2008**

<i>Flammable liquids</i>	<i>Bridging principles</i>
<i>Serious eye damage/eye irritation Hazardous to the aquatic environment - long-term (chronic) aquatic hazard</i>	<i>The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.</i>

**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)  
 VOC: Volatile Organic Compounds (USA, EU)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 SVHC: Substances of Very High Concern  
 vPvB: very Persistent and very Bioaccumulative  
 Flam. Liq. 2: Flammable liquids – Category 2  
 Flam. Liq. 3: Flammable liquids – Category 3  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 Skin Sens. 1: Skin sensitisation – Category 1  
 Skin Sens. 1B: Skin sensitisation – Category 1B  
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
 Asp. Tox. 1: Aspiration hazard – Category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

GB